

## Online Enzyme Lab Simulation

Purpose/Background: In this investigation you will determine the effects of substrate concentration and pH on the initial rate of an enzyme-catalyzed reaction. You will be testing two separate questions/hypotheses during this virtual simulation. Each simulated test tube contains the same enzyme solution. You will adjust the pH levels or the amount of substrate added to collect the necessary data. The initial reaction rate is given as the number of product molecules formed during the first minute for each test tube.

Lab URL: [http://glencoe.mcgraw-hill.com/sites/0078695104/student\\_view0/unit2/chapter6/virtual\\_labs.html#](http://glencoe.mcgraw-hill.com/sites/0078695104/student_view0/unit2/chapter6/virtual_labs.html#)

Question: 1) How does substrate concentration affect enzyme controlled reactions?  
2) How does pH affect enzyme controlled reactions?

Hypotheses:

- 1) \_\_\_\_\_  
\_\_\_\_\_
- 2) \_\_\_\_\_  
\_\_\_\_\_

Procedure:

- pH level is adjusted by clicking the up or down arrows below the corresponding test tube
- to add substrate, click and drag the weighing paper to the appropriate test tube
- for all trials, assume the enzyme concentration in each test tube is constant (the same for each)

*Question 1: Substrate Concentration*

1. Adjust the pH level of each test tube to **7**.
2. Add .5 g substrate to Test Tube 1, 1.0 g substrate to Test Tube 2, 2.0 g substrate to Test Tube 3, 4.0 g substrate to Test Tube 4, and 8.0 g substrate to Test Tube 5.
3. Click on the computer screen to observe the calculated data. Record the data (Number of Molecules of Product) in *Data Table 1: Substrate Concentration* in the column pH 7.
4. Click the Reset button.
5. Adjust the pH level of each test tube to **3**.
6. Repeat steps 2 and 3, making sure to record all data in the appropriate column.
7. Click the Reset button and repeat the experiment one more time after adjusting each test tubes to a pH level of **11**.

*Question 2: pH Level*

1. Adjust the pH level of Test Tube 1 to **3**, Test Tube 2 to **5**, Test Tube 3 to **7**, Test Tube 4 to **9**, and Test Tube 5 to **11**. The test tubes should be reset to these pH values for each trial outlined below.
2. Add 0.5 g substrate to each of the test tubes.
3. Click on the computer screen to observe the calculated data. Record the data in *Data Table 2: pH Level* in the column 0.5 g.
4. Click the Reset button.
5. Adjust the pH levels as stated in step 1.
6. Add 2.0 g substrate to each of the test tubes.
7. Click on the computer screen and record your data in the appropriate column.
8. Click the Reset button.
9. Repeat steps 1-3 using 8.0 g substrate.

Data/Analysis:

*Data Table 1: Substrate Concentration*

	Amount of Substrate (g)	Number of Molecules of Product Formed per Minute ( $\times 10^6$ )		
		pH 7	pH 3	pH 11
Test Tube 1	0.5			
Test Tube 2	1.0			
Test Tube 3	2.0			
Test Tube 4	4.0			
Test Tube 5	8.0			

*Data Table 2: pH Level*

	pH	Number of Molecules of Product Formed per Minute ( $\times 10^6$ )		
		0.5 g	2.0 g	8.0 g
Test Tube 1	3			
Test Tube 2	5			
Test Tube 3	7			
Test Tube 4	9			
Test Tube 5	11			

**\*\*\* YOU NEED TO GRAPH THE DATA FOR EACH QUESTION. PLEASE MAKE SURE YOUR GRAPHS ARE NEAT, AXES ARE LABELED, TITLES ARE INCLUDED, AND A LEGEND/KEY IS PROVIDED. YOU SHOULD END UP WITH 2 TRIPLE LINE GRAPHS.**



